RECEIVED OPPI CHIC

08 OCT -7 #11 10: 32



WASHINGTON

1150 18th Street, N.W.

Suite 1000

Washington, D.C. 20036

Telephone 202 223-4392

Fax 202 872-0745

SACRAMENTO
712 Fifth Street

Davis, CA 95616

Fax 530 757-1299

Telephone 530 757-1298

Suite A

October 7, 2008

68mpany Sanitized

Document Control Officer
Office of Pollution Prevention and Toxic Substances, 7407
U.S. EPA
1201 Constitution Ave. NW
Washington, DC 20004

Re: Low Volume Exemption Application Notice (LVE):TS-08CKT6

Dear Sir or Madam:

On behalf of [], Technology Sciences Group Inc. (TSG) is submitting a Low Volume Exemption Application, TS-08CKT6, for review by EPA.

This LVE notification contains confidential business information (CBI). Accordingly, in addition to the submission of the original notification, a sanitized copy is also provided.

If there are any questions regarding this submission, please do not hesitate to contact me at 202-828-8992.

Sincerely,

Richard A. Jourdenais, Ph.D.

- juliar a. Jurdenas

Director, Chemicals Division

CANADA

275 Slater Street

Suite 900

Ottawa, Ontario

K1P 5H9

Telephone 613 247-6285

Fax 613 236-3754

Attachments

E-mail tsg@tsgusa.com

http://www.tsgusa.com

MR 314552



08 OCT -7 AM In: 32

Company Sanitized

When completed send this form to

Enter the total number of pages in the Premanufacture Notice

20

53090000009

6

GENERAL INSTRUCTIONS

- You must provide all information requested in this form to the extent that it is known to or reasonably ascertainable by you. Make reasonable estimates if you do not
- Before you complete this form, you should read the "Instructions Manual for Premanufacture Notification" (the Instructions Manual is available from the Toxic Substances Control Act (TSCA) Information Service by calling 202-554-1404, or faxing 202-554-5603).
- If a user fee has been remitted for this notice (40 CFR 700.45), indicate in the boxes above the TS-user fee identification number you have generated. Remember, your user fee ID number must also appear on your corresponding fee remittance, which is sent to EPA, HQ Accounting Operations Branch (PM-226), P.O. 360399M, Pittsburgh, PA 15251-6399, Attn. TSCA User fee.

Part 1 — GENERAL INFORMATION

You must provide the currently correct Chemical Abstracts (CA) Name of the new chemical substance, even if you claim the identity as confidential. You may authorize another person to submit chemical identity information for you, but your submission will not be complete and the review will not begin until EPA receives this information. A letter in support of your submission should reference your TS user fee identification number. You must submit an original and two copies of this notice including all test data. If you claimed any information as confidential, a single sanitized copy must also be submitted.

Part II - HUMAN EXPOSURE AND ENVIRONMENTAL RELEASE

If there are several manufacture, processing, or use operations to be described in Part II, sections A and B of this notice, reproduce the sections as needed.

Part III - LIST OF ATTACHMENTS

Attach additional sheets if there is not enough space to answer a question fully. Label each continuation sheet with the corresponding section heading. In Part III, list these attachments, any test data or other data and any optional information included in the

OPTIONAL INFORMATION

You may include any information that you want EPA to consider in evaluating the new substance. On page 11 of this form, space has been provided for you to described pollution prevention and recycling information you may have regarding the new

So-called "binding" boxes are included throughout this form for you to indicate your willingness to be bound to certain statements you make in this section, such as use, production volume, protective equipment . . . This option is intended to reduce delays that routinely accompany the development of consent orders or Significant New Use Rules. Except in the case of exemption applications (such as TMEA, LVE, LOREX) where certain information provided in such notification is binding on the submitter when the Agency approves the exemption application, checking a binding box in this notice does not by itself prohibit the submitter from later deviating from the information (except chemical identity) reported in the form.

CONFIDENTIALITY CLAIMS

You may claim any information in this notice as confidential. To assert a claim on the form, mark (X) the confidential box next to the information that you claim as confidential. To assert a claim in an attachment, circle or bracket the information you claim as confidential. If you claim information in the notices as confidential, you must also provide a sanitized version of the notice, (including attachments). For additional instructions on claiming information as confidential, read the Instructions Manual.

Mark (x) if any information in this notice is claimed as confidential.

TEST DATA AND OTHER DATA

You are required to submit all test data in your possession or control and to provide a description of all other data known to or reasonably ascertainable by you, if these data are related to the health and environmental effects on the manufacture, processing, distribution in commerce, use, or disposal of the new chemical substance. Standard literature citations may be submitted for data in the open scientific literature. Complete test data (written in English), not summaries of data, must be submitted if they do not appear in the open literature. You should clearly identify whether test data is on the substance or on an analog. Also, the chemical composition of the tested material should be characterized. Following are examples of test data and other data. Data should be submitted according to the requirements of §720.50 of the Premanufacture Notification Rule (40 CFR Part 720).

(Check Below any included in this notice)

 Environmental fate data 		Yes	•	Other data Yes								
 Health effects data 		Yes		Risk assessments								
Environmental effects data		Yes		Structure/activity relationships								
Physical/Chemical Properties*	\boxtimes	Yes		Test data not in the possession or control of the submitter								
* A physical and chemical properties worksheet is located on the last page of this form.												
TYPE OF NOTICE	(Che	ck Only	One)								
PMN (Premanufacture	Notice)										
INTERMEDIATE PMN	INTERMEDIATE PMN (submitted in sequence with final product PMN)											
SNUN (Significant New	v Use l	Notice)										
TMEA (Test Marketing	Exem	ption App	plica	ation)								
LVE (Low Volume Exe	mptio	n) @ 40 (CFR	723.50(c)(1)								
LOREX (Low Release/	Low E	xposure I	Exer	mption) @ 40 CFR 723.50(c)(2)								
LVE Modification			L	OREX Modification								
IS THIS A CONSOLIDATED PMN	?		Y	es								
# of chemicals (Prenotice Communication # required, enter # on page 3)												

MR 314552

Public reporting burden for this collection of information is estimated to average 110 hours per response, including time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding the burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Chief, Information Policy Branch, PM-223, U.S. Environmental Protection Agency, 401 M. St., S.W., Washington, D.C. 20460; and to the Office of Management and Budget, Paperwork Reduction Act (2070-0012), Washington, D.C. 20503.

-	$\mathbb{C}\mathbb{I}$	71	R	T	1	F	1	7	۸	П	1	1	n	1	J
		· .	•			,		1	٦.			м		ar.	٦

I certify that to the best of my knowledge and belief:

- The company named in Part I, section A, subsection Ia of this notice form intends to manufacture or import for a
 commercial purpose, other than in small quantities solely for research and development, the substance identified in Part I,
 Section B.
- 2. All information provided in this notice is complete and truthful as of the date of submission.
- I am submitting with this notice all test data in my possession or control and a description of all other data known to or reasonably ascertainable by me as required by §720.50 of the Premanufacture Notification Rule.

Additional Certification Statements:											
If you are submitting a PMN, Intermediate PMN, Consolidated PMN, or SN statement that applies:	UN, check the following user fee cer	rtification									
☐ The Company named in Part I, Section A has remitted the fee of \$2500	specified in 40 CFR 700.45(b), or										
The Company named in Part I, Section A has remitted the fee of \$1000 700.43) in accordance with 40 CFR 700.45(b), or	The Company named in Part I, Section A has remitted the fee of \$1000 for an Intermediate PMN (defined @ 40 CFR 700.43) in accordance with 40 CFR 700.45(b), or										
The Company named in Part I Section A is a small business concern under 40 CFR 700.43 and has remitted a fee of \$100 in accordance with 40 CFR 700.45(b).											
If you are submitting a low volume exemption (LVE) application in accord and low exposure exemption (LoRex) application in accordance with 40 C statements:											
The manufacturer submitting this notice intends to manufacture or imporpurposes, other than in small quantities solely for research and development											
The manufacturer is familiar with the terms of this section and will com	ply with those terms; and										
$\ $ The new chemical substance for which the notice is submitted meets all	applicable exemption conditions.										
If this application is for an LVE in accordance with 40 CFR 723.50(c)(1), the manufacturer intends to commence manufacture of the exempted substance for commercial purposes within 1 year of the date of the expiration of the 30 day review period.											
he accuracy of the statements you make in this notice should reflect your best prediction of the anticipal escribed herein. Any knowing and willful misinterpretation is subject to criminal penalty pursuant to 1	ted facts regarding the chemical substance 8 USC 1001.	Confidential									
ignature and title of Authorized Official (Original Signature Required)	Date	v									

Date

00/7/08

Signature of agent - (if applicable)

		Part I GENE	ERAL INFORMATI	ION							
Se	ction A SUBMI	TTER IDENTIFICATION				Confi-					
la.	Person Submitting Notice (in U.S.)	Mark () the "Confidential" box next to a Name of authorized official	Position Position	s confidential		dential					
	,										
		City, State, ZIP Code									
b.	Agent (if applicable)	Name of authorized official	Position	Position							
		Richard A. Jourdenais, Ph.D. Company	Director, (Chemicals Division	on						
Technology Sciences Group, Inc. Mailing address (number and street)											
		1150 18th Street NW, Suite 1000									
		City, State, ZIP Code	Telephone	Area Code	Number						
		Washington, D.C. 20036		(202)	828-8992						
c.	If you are submitted	ing this notice as part of a joint submission, mark (X) this	s box.		 -						
Join	nt Submitter (if applicable)										
		Company									
		Mailing address (number and street)									
		City, State, ZIP Code	Telephone	Area Code	Number						
2.	Technical	Name of authorized official	Position								
	Contact (in U.S.)	Richard A. Jourdenais, Ph.D.	Director, (Chemicals Division	on						
		Company									
		Technology Sciences Group, Inc. Mailing address (number and street)									
		1150 18th Street NW, Suite 1000 City, State, ZIP Code	Telephone	Area Code	Number						
			Telephone	1970-1979	828-8992						
2	If you have had a m	Washington, D.C. 20036		(202)	020-0992						
3.		renotice communication (PC) concerning this notice a PC Number to the notice, enter the number.		Mark (X) if none	─ ⊠						
4.	substance covered EPA. If you previo	by this notice, enter the exemption number assigned by busly submitted a PMN for this substance enter the ned by EPA (i.e. withdrawn or incomplete).		Mark (X) if none	\longrightarrow \boxtimes						
5.		ed a notice of Bona fide intent to manufacture or import betance covered by this notice, enter the notice number		Mark (X) if none	→ ⊠						
6.	Type of Notice	- Mark (X) 1. Manufacture Only Binding Option	2. Impo Only Bindi Mark	ing Option	3. Both						
ED	EODM 7710 25	(Par. 5 05)	Dogo 2								

Part I GENERAL INFORMATION Continued	
Section B CHEMICAL IDENTITY INFORMATION: You must provide a currently correct Chemical Abstracts (CA) name of the substance	based on
the ninth Collective Index (9CI) of CA nomenclature rules and conventions. Mark (X) the "Confidential" box next to any item you claim as confidential	
Complete either item 1 (Class 1 or 2 substances) or 2 (Polymers) as appropriate. Complete all other items.	
	Confi- ential
Class 1 or 2 chemical substances (for definitions of class 1 and class 2 substances, see the Instructions Manual) Class of substance - Mark (X) Class 1 or 2 Class 2	
b. Chemical name (Currently correct Chemical Abstracts (CA) Name that is consistent with TSCA Inventory listings for similar substances.	
For Class 1 substances a CA Index Name must be provided. For Class 2 substances either a CA Index Name or CA Preferred Name must be provided, which ever is appropriate based on CA 9CI nomenclature rules and conventions).	
Butanedioic acid ,ester with 1,3,5-tris(2-hydroxyethyl)-1,3,5-triazine -2,4,6(1H,3H,5H)-trione	
c. Please identify which method you used to develop or obtain the specified chemical identity information reported in this notice: (check one).	
Method 1 (CAS Inventory Expert Service - a copy of the Identification report obtained from the CAS Inventory Expert Services must be submitted as an attachment to this notice) Method 2 (Other Source)	
d. Molecular formula and CAS Registry Number (if a number already exists for the substance)	
(C9 H15 N3 O6 . xC4 H4 03)	
CAS#	
1040919-10-5	
e. For a class 1 substance, provide a complete and correct chemical structure diagram. For a class 2 substance - (1) List the immediate	
precursor substances with their respective CAS Registry Numbers. (2) Describe the nature of the reaction or process. (3) Indicate the range of composition and the typical composition (where appropriate). (4) Provide a correct representative or partial chemical structure diagram, as complete as can be known, if one can be reasonably ascertained.	
O II	
\ddot{C} $R=H, \text{ or } \\ -C-CH_2-CH_2-COOH$	
$RO-H_2C-H_2C-N$ $N-CH_2-CH_2-OR$	
C C	
CH ₂ -CH ₂ -OR	
Mark (X) this box if you attach a continuation sheet.	

Part I GENERAL INFORMATION Continued											
Section B CHEMICAL IDENTITY INFORMATION - Continued											
2. Polymers (For a definition of polymer, see the Instructions Manual.)						Confi- dential					
a. Indicate the number-average weight of the lowest molecular weight composition Indicate maximum weight percent of low molecular weight species (not including below 1,000 absolute molecular weight of that composition.					w 500 and						
Describe the methods of measurement or the basis for your estimates: GPC		Other : (Sp	ecify) _	not a	applicable						
i) lowest number average molecular weight:											
ii) maximum weight % below 500 molecular weight:											
iii) maximum weight % below 1000 molecular weight:											
Mark (X) this box if you attach a continuation sheet.											
 b. You must make separate confidentiality claims for monomer or other reactant identity, composition information, and residual information. Mark (X) "Confidential" box next to any item you claim as confidential (1) - Provide the specific chemical name and CAS Registry Number (if a number exists) of each monomer or other reactant used in the manufa the polymer. (2) - Mark (X) this column if entry in column (1) is confidential. (3) - Indicate the typical weight percent of each monomer or other reactant in the polymer. (4) - Mark (X) the identity column if you want a monomer or other reactant used at two weight percent or less to be listed as part of the polymer. 											
description on the TSCA Chemical Substance Inventory.		wo weight perce	in or ress to	oc nated as	, pair or the pory	inci					
 (5) - Mark (X) this column if entries in columns (3) and (4) are confidential (6) - Indicate the maximum weight percent of each monomer or other reactions. 		nav be present as	a residual i	n the polym	ner as manufactu	red for					
commercial purposes.		, ,		1							
(7) - Mark (X) this column if entry in column (6) is confidential. Monomer or other reactant and CAS Registry Number	Confi-	Typical	Identity	Confi-	Maximum	Confi-					
(1)	dential (2)	composition (3)	Mark (X) (4)	dential (5)	residual (6)	dential (7)					
	(-)			1							
		%			%						
		%			%						
		%			%						
		%			%						
Mark (X) this box if you attach a continuation sheet.											
c. Please identify which method you used to develop or obtain the specified chemic					eck one).						
Method 1 (CAS Inventory Expert Service - a copy of the identification reports obtained from CAS Inventory Expert Service must be submitted as	port [Method 2 (otner source	:)							
as attachment to this notice)											
d. The currently correct Chemical Abstracts (CA) name for the polymer that is con-	sistent with	h TSCA Invento	ry listings f	or similar p	olymers.						
Devide a constant of the const	to ac can b	a known if one	can be reac	onably acco	rtainad						
e. Provide a correct representative or partial chemical structure diagram, as comple	te as can b	e known, ii one	can be reas	onably asce	rtained.						
Mark (X) this box if you attach a continutation sheet.											

Part I GENERAL INFORMATION Contin	nued	
Section B CHEMICAL IDENTITY INFORMATION - Continued		
Impurities (a) - Identify each impurity that may be reasonably anticipated to be present in the chemical substance as m CAS Registry Number if available. If there are unidentified impurities, enter "unidentified." (b) The control of the		Provide the
(b) - Estimate the maximum weight % of each impurity. If there are unidentified impurities, estimate their t Impurity and CAS Registry Number	Maximum percent	Confi- dential
(a)	(b)	
		Х
	%	
	%	
	%	
	%	
	%	
	%	
Mark (X) this box if you attach a continuation sheet.		
4. Synonyms - Enter any chemical synonyms for the new chemical identified in subsection 1 or 2.		Confi- dential
		dential
Mark (X) this box if you attach a continuation sheet.		
 Trade identification - List trade names for the new chemical substance identified in subsection 1 or 2. 		
SOLDER PASTE, LFSOLDER, #1478, Vehicle, Butanedioic acid ,ester with 1,3,5-tris(2-hydroxyethyl)-1,3,5-triazine-2,4,6(1H,3H,5H)-tr	rione	
Mark (X) this box if you attach a continuation sheet.		
 Generic chemical name - If you claim chemical identify as confidential, you must provide a generic name for you the specific chemical identity of the new chemical substance to the maximum extent p	ossible. Refer to the	
Not applicable		
Mark (X) this box if you attach a continuation sheet.		
 Byproducts - Describe any byproducts resulting from the manufacture, processing, use, or disposal of the new of Number if available. 		Registry
Byproduct (1)	CAS Registry Number (2)	Confi- dential
Not known		
	Sanitized	
Mark (X) this box if you attach a continuation sheet.	Sanitized	
EPA FORM 7710-25 (Rev. 5-95) Page 6		

Part	I	GENEI	RAL IN	FOR	MATI	ON -	- Conti	inued				
Section C PRODUCTION, IMPORT	Γ, AN	D USE I	INFORM	1ATIC	N:							
Mark (X) the "Confidenti												
 Production volume Estimate the maxi production volume for any consecutive 12 substance basis. For a Low Volume Exer kg/yr, specify the volume and mark (x) in 	2-mon	th period	during the on, if you	first the	ree years o	of proc	duction. E	Estimates s	should be	on 100% r	new chemi	ical 10,000
Maximum first 12-month produc			x. II grant	ed, you N	faximum	12-m	onth pro	duction (kg/vr)	Con	fi- Bir	nding
(100% new chemical substan								bstance b		dent	tial Or	ption rk (x)
										x		
2. Use Information You must make sepa devoted to each category, the formulation you claim as confidential. a. (1) Describe each intended category. (2) Mark (X) this column if entry (3) Indicate your willingness to look (4) Estimate the percent of total (5) Mark (X) this column if entry (6) Estimate the percent of the normal purposes at sites (7) Mark (X) this column if entry (8) Indicate % of product volumn your willingness to have the (9) Mark (X) this column if entry	of the ory of column of the product of the column of the c	f use of the mn (1) is one informa- ction for the plumn (4) postance as a your com- plumn (6) acted for the pe provide	e new cher confidentia ation provi he first thr is confider formulate trol associ is confider he listed "te ed in (8) bi	d other mical su al busin ided in o ee years ntial bus d in mi ated win ntial bus use" sec inding.	use informulation uses informulation (1) is devoted siness informulation (2) in each calcium (3) in each c	y func- nation) bindi- to each ormatic spension tegory ormatic k more	tion and a (CBI). ing. h category on (CBI). ons, emuls of use. on (CBI). e than one	the "Co application of use. sions, solu	nfidential' tions, or g	" Box next	to any ite	l for
Category of use (1)	CBI	Binding	Produc-	CBI	% in	CBI	Imormatic	% of subs		cted per use		CBI
district the first of the first		Option Mark (x)	tion %		Form-		Cita	Con-*	(8) Indus-	Com-	Binding	-
(by function and application i.e. a dispersive dye for finishing polyester fibers)	(2)	(3)	(4)	(5)	ulation (6)	(7)	Site- limited	sumer	trial	mercial	Option	(9)
Tel Tilleting peryesser treetey	X		%	X	%	X						X
			,,,		,,,							
	X		%	X	%	X						X
	X		%	Х	%	X						
			%		%							
			%		%							
			%		%							
* If you have identified a "consumer" use, please In addition include estimates of the concentratio substance loses its identity in the consumer prod Mark (X) this box if you attach a continuation b. Generic If you claim any categor	n of th uct. sheet. y of us	e new chen	on in subsec	ction 2a	as confiden	consum	er products	and descri	be the chen	nical reactio	ons by whic	ucts.
use Instructions Manual f			eneric use d	escriptio	ns.							
description Soldering paste ad	ditiv	e								itized		
							Co	mpan	y San	itized		
Mark (X) this box if you attach a continuation	sheet.											
3. Hazard Information Include in the notice a conformation which will be provided to any personal of the safe handing, transport, use, or disposal of	opy of n who	is reasonab	oly likely to	be expo	sed to this	substan	ce regardin	ng protectiv	safety data e equipmer	sheet, or oth	ner Bir Or Ma	nding ption ark (x)
Mark (X) this box if you attach hazard inform			SDS	P	and and	autoli	,,					

		I HUMAN EXPOSUI			to any itam you
		SITES CONTROLLED BY		Mark (X) the "Confidential" box next claim as confidential	
control. Importers d there are further indu	o not have to istrial proces	complete this section for opera	tions outside the U.S.; how	e new chemical substance at industrial site ever, you may still have reporting require se operations. See instructions manual	ements if
Operation descrip a. Identity En		tity of the site at which the opera	ation will occur.		Confi- dential
Nan					X
Site	address (numl	ber and street)			
J. C.	address (num	ser and street/			
City	, County, State	e, ZIP code			
additional sites on	a continuation operations,	r at more than one site, enter the on sheet, and if any of the sites h include all the information reque	ave significantly different		
		attach a continuation sheet.			
b. Type					Х
Mark (X)		Manufacturing	Processing	Use	^
c. Amoun	and Duratio	on Complete 1 or 2 as appropr Maximum kg/batch (100% new chem		Batches/year	
1.	Batch	substar			X
		Maximum kg/batch (100% new chem substan		Batches/year	
2.	Continuous				
d. Process description		(X) to indicate your willingness to h			X
drum, rail car, (2) Provide the idefeedstocks (incused daily or p	tank truck, etc entity, the app cluding reactar per batch.).	c.). proximate weight (by kg/day or kg/b nts, solvents, catalysts, etc.), and of	atch on a 100% new chemical all products, recycle streams, a	I transport containers (specify- e.g. 5 gallon pair substance basis), and entry point of all starting and wastes. Include cleaning chemicals (note from the new chemical substance.	g materials and
Mark (X) this box	if you attach a	continuation sheet.			

Part II-- HUMAN EXPOSURE AND ENVIRONMENTAL RELEASE -- Continued

Section A -- INDUSTRIAL SITES CONTROLLED BY THE SUBMITTER -- Continued

- Occupational Exposure -- You must make separate confidentiality claims for the description of worker activity, physical form of the new chemical substance, number of works exposed, and duration of activity. Mark (X) the "Confidential" box next to any item you claim as confidential.
 - (1) -- Describe the activities (i.e. bag dumping, tote filling, unloading drums, sampling, cleaning, etc.) in which workers may be exposed to the substance.
 - (2) -- Mark (X) this column if entry in column (1) is confidential business information (CBI).
 - (3) -- Describe any protective equipment and engineering controls used to protect workers.
 - (4) and (6) -- Indicate your willingness to have the information provided in column (3) or (5) binding.
 - (5) Indicate the physical form(s) of the new chemical substance (e.g., solid: crystal, granule, powder, or dust) and % new chemical substance (if part of a mixture) at the time of exposure.
 - (7) -- Mark (X) this column if entry in column (5) is confidential business information (CBI).
 - (8) -- Estimate the maximum number of workers involved in each activity for all sites combined.
 - (9) -- Mark (X) this column if entry in column (8) is confidential business information (CBI).
 - (10) and (11) -- Estimate the maximum duration of the activity for any worker in hours per day and days per year.
 - (12) Mark (X) this column if entries in columns (10) and (11) are confidential business information (CBI).

Worker activity	CBI	Protective Equipment/	Binding	Physical forms(s)	Binding	CBI	# of	CBI	Maximu m	duration	CBI
(i.e., bag dumping, filling drums)		Engineering Controls	Option Mark (x)	and % new substance	Option Mark (x)	.77	Worker s		Hrs/day	Days/yr	
(1)	(2)	(3)	(4)	(5)	(6)	(7)	Expose d (8)	(9)	(10)	(11)	(12)
	Х			%		Х		X	12.5		Х

Ma	rk (X)	this bo	x if you	attach	a continuation	sheet.
----	--------	---------	----------	--------	----------------	--------

- 3. Environmental Release and Disposal -- You must make separate confidentiality claims for the release number and the amount of the new chemical substance released and other release and disposal information. Mark (X) the "Confidential" box next to each item you claim as confidential.
 - (1) -- Enter the number of each release point identified in the process description, part II, section A, subsection 1d(3).
 - (2) -- Estimate the amount of the new substance released (a) directly to the environment or (b) into control technology (in kg/day or kg/batch).
 - (3) -- Mark (X) this column if entries in columns (1) and (2) are confidential business information (CBI).
 - (4) Identify the media (stack air, fugitive air (optional-see Instruction Manual), surface water, on-site or off-site land or incineration, POTW, or other (specify)) to which the new substance will be released from that release point.
 - (5) a. Describe control technology, if any, and control efficiency that will be used to limit the release of the new substance to the environment. For releases disposed of on land, characterize the disposal method and state whether it is approved for disposal of RCRA hazardous waste. On a continuation sheet, for each site describe any additional disposal methods that will be used and whether the waste is subject to secondary or tertiary on-site treatment. b. Estimate the amount released to the environment after control technology (in kg/day).
 - (6) -- Mark (X) this column if entries in columns (4) and (5) are confidential business information (CBI).
 - (7) -- Identify the destination(s) of releases to water. Please supply NPDES (National Pollutant Discharge Elimination System) numbers for direct discharges or NPDES numbers of the POTW (Publicly Owned Treatment Works). Mark (X) if the POTW name or NPDES # is confidential business information (CBI).

Release Number	Amount of ne		CBI	Media of release	Control technology and efficiency (you may wish to optionally attach efficiency data)							
(1)	(2a)	(2b)	(3)	c.g. stack air (4)	(5a)	Binding Mark (X)	(5b)	(6)				
			Х					X				
(7) Mark	(X) the	POTW provide	name(s) below:	CBI Navigable Other - Specify		provide NPDES #	CBI				
destination releases to	n(s) of				waterway							
Mari	k (X) this box if y	ou attach a cont	inuatio	n sheet.								

Part II-- HUMAN EXPOSURE AND ENVIRONMENTAL RELEASE -- Continued

Section B -- INDUSTRIAL SITES CONTROLLED BY OTHERS

Complete section B for typical processing or use operations involving the new chemical substance at sites you do not control. Importers do not have to complete this section for operations outside the U.S.; however, you must report any processing or use activities after import. See the Instructions Manual. *Complete a separate section B for each type of processing, or use operation involving the new chemical substance*. If the same operation is performed at more than one site describe the typical operation common to these sites. Identify additional sites on a continuation sheet.

1. Operation Description -- To claim information in this section as confidential, circle or bracket the specific information that you claim as confidential.

(1) -- Diagram the major unit operation steps and chemical conversions, including interim storage and transport containers (specify - e.g. 5 gallon pails, 55 gallon drums, rail cars, tank trucks, etc). On the diagram, identify by letter and briefly describe each worker activity. (2) -- Provide the identity, the approximate weight (by kg/day or kg/batch, on an 100% new chemical substance basis), and entry point of all feedstocks (including reactants, solvents and catalysts, etc) and all products, recycle streams, and wastes. Include cleaning chemicals (note frequency if not used daily or per batch). (3) -- Identify by number the points of release, including small or intermittent releases, to the environment of the new chemical substance. (4) Please enter the # of sites (remember to identify the locations of these sites on a continuation sheet):

1 0

of sites

10 end-customers of soldering pastes

- 1. Transportation via air and ground
- 2. Storage in sealed containers at lower than 10 deg C.
- Set the container on an automatic-spray machine to apply on surface of printed circuit boards.
 Worker exposure in this process is minimal because of the machine design.
- 4. Disposal of containers and wastes in by incineration.

1					
ı	Mark (X)	this boy if	you attach a	continuation	sheet
п	IVIAIN (/X)	uns box n	you attach c	i communicion	SHEEL.

2. Worker Exposure/Environmental Release

- (1) -- From the diagram above, provide the letter for each worker activity. Complete 2-8 for each worker activity described.
- (2) -- Estimate the number of workers exposed for all sites combined.
- (4) -- Estimate the typical duration of exposure per worker in (a) hours per day and (b) days per year.
- (6) Describe physical form of exposure and % new chemical substance (if in mixture), and any protective equipment and engineering controls, if any, used to protect workers.
- (7) -- Estimate the percent of the new substance as formulated when packaged or used as a final product.
- (9) -- From the process diagram above, enter the number of each release point. Complete 9-13 for each release point identified.
- (10) -- Estimate the amount of the new substance released (a) directly to the environment or (b) into control technology to the environment (in kg/day or kg/batch).
- (12) -- Describe media of release i.e. stack air, fugitive air (optional-see Instructions Manual), surface water, on-site or off-site land or incineration, POTW, or other (specify) and control technology, if any, that will be used to limit the release of the new substance to the environment.
- (14) -- Identify byproducts which may result from the operation.
- (3), (5), (8), (11), (13) and (15) -- Mark (X) this column if any of the proceeding entries are confidential business information (CBI).

Letter of Act- ivity	# of Workers Exposed	CBI	C	ation of osure	CBI	Protective Equip. / Engineering Controls/ Physical Form and % new substance	% in Form- ulation	CBI	Release Number	No Subs	unt of ew tance ased	CBI	Media of Release & Control Technology	CBI
(1)	(2)	(3)	(4a)	(4b)	(5)	(6)	(7)	(8)	(9)	(10a)	(10b)	(11)	(12)	(13)
		X			X			X						
_														
														_
14)	Byproducts	S:					1		1					(15)

		30	.1.	1	10								
Λ	Aark i	X	this	box	11	VOU	attach	ı a	cont	mua	non	sheet.	

OPTIONAL POLLUTION PREVENTION INFORMATION

To claim information in this section as confidential circle or bracket the specific information that you claim as confidential. In this section you may provide information not reported elsewhere in this form regarding your efforts to reduce or minimize potential risks associated with activities surrounding manufacturing, processing, use and disposal of the PMN substance. Please include new information pertinent to pollution prevention, including source reduction, recycling activities and safer processes or products available due to the new chemical substance. Source reduction includes the reduction in the amount or toxicity of chemical wastes by technological modification, process and procedure modification, product reformulation, raw materials substitution, and/or inventory control. Recycling refers to the reclamation of useful chemical components from wastes that would otherwise be treated or released as air emissions or water discharges, or land disposal. Descriptions of pollution prevention, source reduction and recycling should emphasize potential risk reduction subsequent to compliance with existing regulatory requirements and can be either quantitative or qualitative. The EPA is interested in the information to assess overall net reductions in toxicity or environmental releases and exposures, not the shifting of risks to other environmental media or non-environmental areas (e.g., occupational or consumer exposure). In addition, information on the relative cost or performance characteristics of the PMN substance to potential alternatives may be provided.

All information provided in this section will be taken into consideration during the review of this substance. See Instructions Manual and Pollution Prevention Guidance manual for guidance and examples.

Describe the expected net benefits, such as (1) an overall reduction in risk to human health or the environment; (2) a reduction in the volume manufactured; (3) a reduction in the generation of waste materials through recycling, source reduction or other means; (4) a reduction in potential toxicity or human exposure and/or environmental release; (5) an increase in product performance, a decrease in the cost of production and/or improved operation efficiency of the new chemical substance in comparison to existing chemical substances used in similar application; or (6) the extent to which the new chemical substance may be a substitute for an existing substance that poses a greater overall risk to human health or the environment.

The final product is properly packaged/delivered to 10 end-customers where workers can just set the package on an automatic-spray machines. This supply chain and application technology enables to minimize exposure to human and environment.

Mark (X) this box if you attach a continuation sheet.		
Part III LIST OF ATTACHMENTS		
Attach continuation sheets for sections of the form and test data and other data (including physical/chemical properties structure/activity information), and optional information after this page. Clearly identify the attachment and the section which it relates, if appropriate. Number consecutively the pages of the attachments. In the column below, enter the innumbers of each attachment. Mark (X) the "Confidential" box next to any attachment name you claim as confidential. Read the Instructions Manual how to claim any information in an attachment as confidential. You must include with the sanitized copy of the notice version of any attachment in which you claim information as confidential.	on of the form to iclusive page	
Attachment name	Attachment page number(s)	Confi- dential
Material Safety Data Sheet (MSDS)	14-18	
Physical and Chemical Properties Worksheet	13	
CASIES report	19	
Electronic PMN form documentation	20	
Mark (X) this box if you attach a continuation sheet. Enter the attachment name and number.		

PHYSICAL AND CHEMICAL PROPERTIES WORKSHEET

To assist EPA's review of physical and chemical properties data, please complete the following worksheet for data you provide and include it in the notice. Identify the property measured, the page of the notice on which the property appears, the value of the property, the units in which the property is measured (as necessary), and whether or not the property is claimed as confidential. The physical state of the neat substance should be provided. These measured properties should be for the neat (100% pure) chemical substance. Properties that are measured for mixtures or formulations should be so noted (% PMN substance in ___). You are not required to submit this worksheet; however, EPA strongly recommends that you do so, as it will simplify review and ensure that confidential information is properly protected. You should submit this worksheet as a supplement to your submission of test data. This worksheet is not a substitute for submission of test data.

is not a substitute for submission of test data.					
Property	Mark (X) if	Page number	Value		Confi- dential
(a)	provided	(b)	(c)	N	Mark (X) (d)
147				(M or E)	
Physical state of neat substance	X	17	X(s)(l)(g)	M	
Vapor pressure @ Temperature°C			Torr		
Density/relative density					
Solubility @ Temperature°C Solvent			> g/L		
Solven			soluble	Е	
Solubility in water @ Temperature25°C	X	17	g/L		
Melting temperature			°C		
Boiling / sublimation temperature@torr pressure			°C		
Spectra					
Dissociation constant					
Particle size distribution					
Octanol / water partition coefficient					
Henry's Law constant					
Volatilization from water					
Volatilization from soil					
pH@ concentration					
Flammability Flash Point					
Explodability					
Adsorption / coefficient					
Other - Specify					
. ,					

Sheet Material Safety Data

Butanedioic acid, ester with 1, 3, 5-tris(2-hydroxyethyl)-1, 3, 5-triazine -2, 4, 6 (1H, 3H, 5H)-trione

Date Prepared : Aug. 26, 2008

Prepared By

K. Agatsuma

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name : Butanedioic acid, ester with 1, 3, 5-tris(2-hydroxyethyl)-1, 3, 5

-triazine-2, 4, 6 (1H, 3H, 5H)-trione

CAS Number

: 1040919-10-5

MSDS Number

*Blank spaces are not permitted. If any item is not applicable, or no information is available, the

space must be marked to indicate that.

MANUFACTURE

Company Name

Address

Phone Number :

Emergency Phone Number

FAX Number

2. COMPOSITION, INFORMATION ON INGREDIENTS

COMPONENTS

OSHA

ACGIH

Other Limits Recommended

Chemical Name & Common Names Butanedioic acid, ester with 1, 3, 5-tris(2-hydroxyethyl)

100.0

PEL N/I TLV N/I

-1, 3, 5-triazine-2, 4, 6(1H, 3H, 5H)-trione

Non-Hazardous Ingredients

TOTAL

100.0

*OPTIONAL

N/I : No information

N/A : Not applicable

3. HAZARDS IDENTIFICATION

Inhalation : Vapor or mist is irritating to the eyes, mucous membranes and upper respiratory tract. High concentrations may cause drowsiness, headache, fatigue, dizziness.

Skin / Eye contact : Irritating to skin and eyes. Harmful as absorbed through the skin. Central nervous system depression. Defatting action may lead to dryness, cracking, secondary infection and sensitization.

Ingestion : Harmful if swallowed.

Long term effects : May cause damage to the liver, kidneys, blood and nervous system disturbances.

4. FIRST AID MEASURES

Skin : Drench the skin with plenty of water. Remove contaminated clothing and wash before re-use. If large areas of the skin are damaged or if

irritation persists, seek medical attention.

Eyes : Irrigate thoroughly with water for at least 10 minutes while lifting

the eyelids. Obtain medical attention.

Inhalation : Remove from exposure, rest and keep warm. Obtain medical attention.

Ingestion : Wash out mouth with water. If patient is conscious, give water to

drink. Do not induce vomiting. Obtain medical attention.

5. FIRE FIGHTING MEASURES

Suitable extinguishers: Carbon dioxide, dry chemical, alcohol resistant foam, sand, earth or water fog may be used. Keep containers cool with water spray. Do not use water jet.

Hazardous combustion products : Oxides of carbon.

Special equipment for fire-fighting : Self-contained breathing apparatus.

6. ACCIDENTAL RELEASE MEASURES

Safety precaution : Ventilate the area and evacuate personnel. Wear appropriate PPE. Remove sources of ignition.

Small spillage : Absorb with sand, earth or other suitable absorbent and remove to a safe place for disposal.

Large spillage : Avoid entry into drains, ditches, streams or rivers by use of sand or earth. Transfer to salvage tank if possible, otherwise treat as small spillage. Inform local authorities if contamination enters watercourses or drains.

7. HANDLING AND STORAGE

Keep away from heat, sparks and open flame. Avoid spilling, skin and eye contact. Ventilate well, avoid breathing vapors. Use approved respiratory if air contamination is above accepted level. Wear full protective clothing for prolonged exposure and / or high concentrations. Follow the principles of good occupational hygiene to control personal exposures.

Flammable / combustible. Keep away from oxidizers, feat and flames. May attack some plastics, rubber and coatings. Keep in cool, dry, ventilated storage and closed containers. Ground container and transfer equipment to eliminate static electric sparks.

8. EXPOSURE CONTROLS, PERSONAL PROTECTION

Respiratory : Use in a well ventilated area with local exhaust ventilation if necessary to control exposure. Avoid use in confined spaces. Use appropriate respiratory protective equipment if the above limits may be exceeded.

Hand : Solvent resistant gloves

Eye : Safety goggles
Skin : Overalls and boots

Hygiene measures : Always wash thoroughly after handling chemicals.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : White solid

0der

: N/I

Boiling point

: N/I

Melting point

: N/I

Flash point

: N/I

Vapor pressure : N/I

Solubility in water : soluble

Density

: N/I

рН

: N/I

10. STABILITY AND REACTIVITY

Stability : Stable

Conditions to avoid : Sources of ignition, flames, sparks, moisture and heat.

Materials to avoid : Oxidizing agents, nitric acid.

Hazardous decomposition products : Oxides of carbon.

11. TOXICOLOGICAL INFORMATION

Health warnings : Gas or vapor is toxic or extremely irritating even on brief

exposure. This chemical may cause skin / eye irritation and burns (corrosive). Toxic through skin absorption. Narcotic effect.

Medical symptoms

: Extreme irritation of eyes and mucous membranes, including

burning and tearing. Severe skin irritation. Nausea, vomiting. Unconsciousness, possibly death. Central nervous system depression. Drowsiness, dizziness, disorientation, vertigo. Pulmonary edema, frothy

sputum.

12. ECOLOGICAL INFORMATION

Unlikely to bioaccumulate. Harmful to aquatic organisms.

13. DISPOSAL CONSIDERATIONS

Via an authorized waste disposal contractor to an approved waste disposal site, observing all local and national regulations. Container as substance, not to be cut up or punctured until completely purged of product residues. Consult an environmental engineer.

14. TRANSPORT INFORMATION

Information approved for the carriage of dangerous goods.

Proper shipping name : N/I UN Number : N/I Classification : N/I

15. REGULATORY INFORMATION

Please refer to national measures that may be relevant.

16. OTHER INFORMATION

Legal disclaimer : The information contained in this data sheet does not constitute an assessment of workplace risks. The above information is based on the present state of our knowledge of the product at the time of publication. It is given in good faith, no warranty is implied with the respect to the quality or the specification of the product. The user must satisfy himself that the product is entirely suitable for his purpose.



Inventory Expert Service

A division of the American Chemical Society

Phone: 800-631-1884, 614-447-3870 Fax: 614-447-3747 E-mail: answers@cas.org Web: www.cas.org/products/client/

INVENTORY EXPERT SERVICE REPORT

IES-ORDER NUMBER:	122	99	T
-------------------	-----	----	---

REGISTRY NUMBER: 1040919-10-5

CA INDEX NAME

Butanedioic acid, ester with 1,3,5-tris(2-hydroxyethyl)-1,3,5-triazine-2,4,6 (1H,3H,5H)-trione

Please print the above CA Index Name on the appropriate page of your PMN.

If this box is checked, CAS has made correction(s) marked in red to your IES order. Please make the same correction(s) to your PMN before submitting it to the EPA.

19

PreManufacture Notice and Notice of Commencement Forms

EPA Form 7710-25 (Rev. 5-95) EPA Form 7710-56 (Rev. -96)

Installation and Use Instructions MS Word 6.0 for Windows

U.S. EPA Approved December 12, 1996 by Anthony Cheatham TSCA Data Administration Section



